

# Product datasheet

Specifications



## APC Easy Rack PDU, Basic, 0U, 1 Phase, 7.4kW, 230V, 32A, 21 x SCHUKO outlets, IEC60309 2P + E inlet

EPDU1132B-SCH

⚠ Discontinued - Service only

⚠ Discontinued on: 17 Nov 2025

⚠ End-of-service on: 17 Nov 2025

EAN Code: 0731304405047

## Overview

Lead time Usually in Stock

## Main

Colour	Black
Product or component type	PDU
PDU type	Basic
Cord length	2.99 m
Number of cables	1
Provided equipment	Installation guide Toolless mounting kit Vertical mounting brackets

## Complementary

Input Voltage	200 V 208 V 230 V
Height	1506 mm
Width	62 mm
Output Voltage	230 V
Depth	44.4 mm
Net weight	4.3 kg
Mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P + E
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Input current limits	32 A
Load capacity	7360 VA
Network frequency	50/60 Hz

Rates duty January 2016

---

Outlet type and quantity	21Schuko CEE 7
--------------------------	----------------

## Environment

---

Product certifications	CE TÜV
------------------------	-----------

---

Ambient air temperature for operation	-5...45 °C
---------------------------------------	------------

---

Relative humidity	5...95 %
-------------------	----------

---

Operating altitude	0...10000 ft
--------------------	--------------

---

Ambient air temperature for storage	-25...65 °C
-------------------------------------	-------------

---

Storage Relative Humidity	5...95 %
---------------------------	----------

---

Storage altitude	0...15240 m
------------------	-------------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	166 cm
------------------	--------

---

Package 1 Width	11 cm
-----------------	-------

---

Package 1 Length	16 cm
------------------	-------

---

Package 1 Weight	5.5 kg
------------------	--------

## Contractual warranty

---

Warranty (in months)	12
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint	108
----------------------------------	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

<a href="#">EU RoHS Directive</a>	Compliant
-----------------------------------	-----------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

### Energy efficiency

Energy Efficiency Optimized	Energy efficient product
-----------------------------	--------------------------

## Use Again

### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
---------------------------------	---

Take-back	Yes
-----------	-----

WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------------	---