

Product datasheet

Specifications



APC NetShelter Rack PDU Advanced, Metered, 7.4kW, 1Phase, 230V, 32A, 332P6, 40 Outlets

APDU10150ME

EAN Code: 0731304439653

Overview

Lead time Usually in Stock

Main

Colour Black

Product or component type PDU

PDU type Metered

Cord length 3.0 m

Complementary

Input Voltage 230 V 1 phase

Height 1490 mm

Width 56 mm

Output Voltage 230 V

Depth 75 mm

Net weight 6.2 kg

Mounting location Side

Mounting preference No preference

Input Plug Type IEC 60309 32 A 2P + PE

Mounting mode Rack-mounted

Rack units 0U

Mounting position Vertical

Communication port protocol 1000BASE-T
10/100BASE-T

[In] rated current 32 A

permissible voltage 200...240 V

Input current limits 32 A

Load capacity 7400 VA

Network frequency 50/60 Hz

Outlet type and quantity 20 C13/C15/C19/C21
20C13/C15

Environment

Rates duty January 2016

Product certifications	TAA compliance UKCA
Standards	CE EN 62368-1
Ambient air temperature for operation	-5...60 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0...15240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	172 cm
Package 1 Width	11.6 cm
Package 1 Length	20.8 cm
Package 1 Weight	8.2 kg

Contractual warranty

Warranty (in months)	36
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 3174

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

SCIP Number 31346aed-552c-4a16-81d9-e683a383b6da

REACH Regulation [REACH Declaration](#)

Energy efficiency

Energy Efficiency Optimized Energy efficient product

Use Again

Repack and remanufacture

End of life manual availability [End of Life Information](#)


Take-back Yes

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

Multiple color options available



4-in-1 outlet for increased flexibility



Acts as any of these outlet types:



C13



C15



C19



C21





