

# Product datasheet

Specifications



## APC Easy Metered Rack PDU, Zero U, 11 kW, 230V, 21 C13 and 3 C19 outlets, IEC309

EPDU2216M

### Overview

Lead time Usually in Stock

### Main

Colour	Black
Product or component type	PDU
PDU type	Metered
Number of cables	1
Provided equipment	Installation guide

### Complementary

Input Voltage	400 V 3 phases
Height	1650 mm
Width	56 mm
Output Voltage	230 V
Depth	56 mm
Net weight	3.30 kg
Mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 16 A 3P + N + PE
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Input current limits	16 A
Load capacity	11040 VA
Network frequency	50/60 Hz
Outlet type and quantity	21 IEC 60320 C13

### Environment

Product certifications	CE UKCA
Ambient air temperature for operation	-5...50 °C
Relative humidity	5...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

---

<b>Operating altitude</b>	0...10000 ft
<b>Ambient air temperature for storage</b>	-25...65 °C
<b>Storage Relative Humidity</b>	5...95 %

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	12.6 cm
<b>Package 1 Width</b>	17 cm
<b>Package 1 Length</b>	181 cm
<b>Package 1 Weight</b>	4.5 kg

---

## Contractual warranty

---

<b>Warranty (in months)</b>	12
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 <b>Environmental footprint</b>	
Total lifecycle Carbon footprint	1239
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>

 <b>Energy efficiency</b>	
Energy Efficiency Optimized	Energy efficient product

### Use Again

 <b>Repack and remanufacture</b>	
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

